



Selecting Shrubs for the Landscape

David Hillock
Assistant Extension Specialist, Consumer Horticulture

Kimberly Rebek
Assistant Extension Specialist

Mike Schnelle
Extension Ornamental Floriculture Specialist

Oklahoma Cooperative Extension Fact Sheets are also available on our website at: <http://osufacts.okstate.edu>



Shrubs can be used as living fences to delineate space and create garden rooms.

Shrubs serve an important role in landscaping. They can be used as hedge borders, focal points, along the foundation of a home to “tie” it to the ground by softening strong architectural lines, and to fill large areas. Shrubs screen and separate private areas, create garden rooms, and absorb noise. Many are evergreen, providing a backbone for the winter landscape.

Unlike annual flowers, or even some herbaceous perennials, shrubs are usually planted with permanence in mind. As such, it is important to carefully select plants to ensure long-term success. It is important to consider the plant’s adaptability to the proposed planting site, as well as its mature size. For best results, choose a plant that is best adapted to the climatic zone or region and will fit in the space designated for planting, even after it reaches full size.

When selecting shrubs for the landscape, it is also important to consider each plant’s ornamental characteristics. Consider plant height, width, and shape; foliage color and texture, including fall color; bark attributes; and flowering and fruiting habits, to obtain the right shrub for your landscape design.

Ornamental Characteristics of Shrubs

Many shrubs are planted for their showy floral displays. You can develop a long season of bloom by planting various types of shrubs. The time any shrub remains in bloom varies from a few days to a few months; however, the time of year a shrub blooms remains the same year after year. Use a variety of shrubs that bloom in sequence to develop a planting with a long blooming period. Most landscapes have lots of flowers in spring, with few in summer or fall. Prolong the ornamental season through careful shrub selection. Choose shrubs known to bloom at alternate times of year, or choose plants that provide other ornamental traits during hot weather and into the fall such as colorful bark, fall foliage, or fruit.

A number of ornamental shrubs produce attractive fruit following flowering. Some have black or dark purple fruit that often go unnoticed, unless sited for contrast. Brightly colored fruit make a better show than dull colors. The time fruit is ornamental should be a consideration. Fruit persisting into winter provides color in the winter landscape. A shrub may produce beautiful fruit, but too few to be noticed, so their ornamental value is low. Within limits, the larger the fruit the more ornamental it may be. Conversely, large fruit can be a problem to clean up.

Table 2. Evergreen Shrubs. (continued)

Common Name – Botanical Name	Species Characteristics		Region	Comments
	Height ft.	Spread ft.		
Broadleaf Shrubs				
Holly, Fosters Hybrid (<i>I. x attenuata</i>)	20-30	8-10	NE, SE	Showy fruit on female plants. Many cultivars available. Prefers acid, moist soil. Will grow in swampy areas.
Holly, Inkberry (semi-evergreen) (<i>I. glabra</i>)	6-8	8-10	NE, SE	Leaves without spines, dark green. Shelter from sun and wind. Best adapted to northeast Oklahoma. Many cultivars available.
Holly, Japanese (<i>I. crenata</i>)	5-10	5-10	NE, SE	Leaves without spines, dark green. Shelter from sun and wind. Best adapted to northeast Oklahoma. Many cultivars available.
Holly, Yaupon (<i>I. vomitoria</i>)	4-20	6-8	A	Tough holly, but likes mulch and light amounts of fertilizer. Leaf without spines, dark green on top with gray back stems. Dwarf yaupon makes good substitute for boxwood. Can be sheared. More tolerant of wind and sun than other hollies.
Honeysuckle, Winter (<i>Lonicera fragrantissima</i>)	6-10	6-10	A	Very fragrant flowers that bloom in late winter. Semi-evergreen.
Indian Hawthorn (<i>Raphiolepis</i> spp.)	4-6	4-6	SE, SW	Marginally hardy. Flowers vary from late winter to early summer. Medium drought tolerance. Best for southern portions of Oklahoma.
Laurel, Mountain (<i>Kalmia latifolia</i>)	4-8	4-5	NE, SE	Challenging to grow in Oklahoma; attractive flowers.
Leucothoe, drooping (<i>Leucothoe fontanesiana</i>)	3-6	3-6	NE, SE	Graceful with spreading, arching branches. White fragrant flowers; bright green, bronze to purple leaves maturing to dark green, turning bronze to purple in fall. Must have moist, well-drained, acid soils; does not tolerate drought, drying winds prune to ground after flowering to rejuvenate. Fungal leaf spots can be a problem.
Magnolia, Sweetbay (<i>Magnolia virginiana</i>)	10-20	10-20	NE, SE	Evergreen to semi-evergreen multi-stemmed shrub. Tolerates wet, swampy soils and shade. White creamy flowers in late spring are lemon-scented. Dark-red fruit with bright red seeds can be attractive. Native to eastern Oklahoma.
Mahonia, Creeping (<i>Mahonia repens</i>)	3/4-1 3/4	3-4	A	Spreading, evergreen groundcover. Yellow spring flowers, grape-like fruit.
Mahonia or Oregon Grapeholly (<i>M. aquifolium</i>)	3-6	3-5	A	Glossy, spiny, dark green leaf, new leaves red purple. Summer grape-like fruit. Best in part shade. Suckers and will form colonies.
Mahonia, Leatherleaf (<i>M. bealei</i>)	6-10	6-8	NE, SE	Large, leathery, stiff, blue green leaf. Flowers are very fragrant. Grape-like fruit. Medium drought tolerance.
Nandina or Heavenly Bamboo (<i>Nandina domestica</i>)	4-8	4-5	A	Lacy leaf. Small red fruit in fall. Tough plant, drought tolerant. Red fall leaf color. Many cultivars available; vary greatly in size. Semi-evergreen.
Osmanthus, Devilwood or False Holly (<i>Osmanthus heterophyllus</i>)	8-10	6-8	SE	Flowers form in fall, are often hidden, but very fragrant. Shelter, keep mulched, watered and fertilized. Holly look-alike.
Palmetto, (<i>Sabal minor</i>)	5-8	5	SE, NE	Native to southeast Oklahoma. Provides tropical flare to landscape.
Photinia, Chinese (<i>Photinia serrulata</i>)	20-25	14-16	A	Resistant to leaf spot.
Photinia, Redtip (<i>P. x fraseri</i>)	10-15	5-8	A	Pretty red new growth, may contract Entomosporium leaf spot. Prune in spring for density. Avoid wet or hot sites. Nitrogen fertilizer beneficial. Drought tolerant.
Pieris, Japanese (<i>Pieris japonica</i>)	3-4+	6-8	NE, SE	Showy white flowers in spring. Moist, acid, well-drained soil.
Pittosporum, Japanese (<i>Pittosporum tobira</i>)	10-12	15-24	SE	Should probably be limited to extreme southeast corner of Oklahoma. Smaller cultivars available. Fragrant creamy white flowers in spring. Relatively tough plant, not too finicky of site. Sun or heavy shade. Freeze injury possible.
Privet, Japanese (<i>Ligustrum japonicum</i>)	6-12	6-8	NE, SE	Adaptable, withstands heavy pruning. White spring flower, dull black fruits.
Pyracantha, Scarlet Firethorn (<i>Pyracantha coccinea</i>)	6-18	6-18	A	Outstanding, bright orange-red fruit persisting into winter. Some disease and insect problems. Does well in dry soil. Semi-evergreen.
Rhododendron (<i>Rhododendron</i> hybrids)	Varies	Varies	NE, SE	Beautiful spring flowers.
Viburnum, Alleghany (<i>Viburnum x rhytidophyloides</i> Alleghany)	10	11	NE, SE, NW, SW	These and many other viburnums are valued for spring flowers, often fragrant, pest-free deciduous or evergreen foliage, brilliant fall color, and showy fruits.
Viburnum, Leatherleaf (<i>Viburnum rhytidophyllum</i>)	10-15	10-15	NE, SE	Showy fruits. Shelter from sun, reflected heat and wind. Not drought tolerant.
Waxmyrtle, Southern (<i>Morella cerifera</i>)	10-15	10-15	NE, SE, SW, NW	Small clusters of gray fruit. Beautiful, wispy, shrub to small tree. Makes excellent pruned screen or limbed up to expose handsome gray, almost white bark. Spring growth develops rich bayberry candle odor. May defoliate in temperatures below zero degrees.
Yucca, Adam’s Needle (<i>Yucca filamentosa</i>)	3-4	3-4	A	Cold hardy. Grows about anywhere except very wet sites. Produces yellowish-white pendulous flowers on three- to six-foot-tall stalk in summer.
Yucca, Red (<i>Hesperaloe parvifolia</i>)	3-4	3-4	A	Dark pink to red flowers arising on a four- to five-foot stalk.

* Many varieties and cultivars of shrubs exist that are not listed. However, for the sake of brevity, only one or two samples are provided for any given group of plants. For example, there are numerous variations or cultivars of barberry selected for foliage color, size, etc.



Shrubs pruned in a formal fashion can be used to create fun and creative garden designs.

Select shrubs hardy enough to survive the winter and durable enough to endure the Oklahoma summer heat.

Avoid shrubs with serious pest problems. The large selection of available shrubs makes it unnecessary to use those notorious for annual infestations of insects or diseases. Pests attack most shrubs during their lives, but most can be easily controlled or ignored. Shrubs to avoid are those with serious pest problems that render the plants aesthetically unacceptable.

Shrubs for a Purpose

Tolerates or Prefers Dry Locations

Most or all of the shrubs listed below will still require vigilant irrigation for at least the first growing season. However, upon establishment, plants below are known to tolerate or even prefer dry sites. Tolerance to dry or xeric conditions will widely differ amongst these species.

- Abelia, Glossy (*Abelia x grandiflora*)
- Althea or Rose of Sharon, (*Hibiscus syriacus*)
- Aralia, Fiveleaf (*Eleutherococcus sieboldianus*)
- Aucuba, Japanese (*Aucuba japonica*)
- Barberry, Japanese (*Berberis thunbergii*)
- Barberry, Mentor (*Berberis x mentorensis*)
- Beautyberry (*Callicarpa americana*)
- Bluebeard or Blue-mist shrub (*Caryopteris x clandonensis*)
- Blueberry, Highbush (*Vaccinium corymbosum*)
- Bush-Honeysuckle, Southern (*Diervilla sessilifolia*)

- Chokeberry, Black or Red (*Aronia melanocarpa* or *A. arbutifolia*)
- Cinquefoil, Bush (*Potentilla fruticosa*)
- Coralberry, Indiancurrant, or Buckbrush (*Symphoricarpos orbiculatus*)
- Coralberry, Chenault (*Symphoricarpos x chenaultii*)
- Cotoneaster, Rock (*Cotoneaster apiculatus*)
- Cotoneaster, Spreading (*Cotoneaster divaricatus*)
- Cotoneaster, Willowleaf (*Cotoneaster salicifolius*)
- Devil's-walkingstick (*Aralia spinosa*)
- Dogwood, Gray (*Cornus racemosa*)
- Dogwood, Roughleaf (*Cornus asperifolia* var. *drummondii*)
- Firethorn (*Pyracantha coccinea*)
- Holly, Chinese (*Ilex cornuta*)
- Holly, Yaupon (*Ilex vomitoria*)
- Honeysuckle, Morrow (*Lonicera morrowii*)
- Honeysuckle, Tatarian (*Lonicera tatarica*)
- Honeysuckle, Winter (*Lonicera fragrantissima*)
- Hydrangea, smooth (*Hydrangea arborescens*)
- Indian Hawthorn (*Rhaphiolepis* spp.)
- Juniper (*Juniperus* spp.)
- Nandina or Heavenly Bamboo (*Nandina domestica*)
- Ninebark, (*Physocarpus opulifolius*)
- Paradise Ponciana or Bird of Paradise (*Caesalpinia gilliesii*)
- Pearl Bush (*Exochorda racemosa*)
- Photinia (*Photinia* spp.)
- Plum, American (*Prunus americana*)
- Plum, Sandhill (*Prunus angustifolia*)
- Privet (*Ligustrum* spp.)
- Quince, flowering (*Chaenomeles speciosa*)
- Rose, rugosa (*Rosa rugosa*)
- Saint Johnswort (*Hypericum* spp.)
- Serviceberry, Shadblow (*Amelanchier canadensis*)
- Siberian Peashrub (*Caragana arborescens*)
- Spirea, Anthony Waterer (*Spiraea x bumalda* 'Anthony Waterer')
- Spirea, Vanhoutte (*Spiraea x vanhouttei*)
- Sumac, Fragrant (*Rhus aromatica*)
- Sumac, Smooth (*Rhus glabra*)
- Witchhazel (*Hamamelis* spp.)
- Yucca (*Yucca* spp.)

Tolerates or Prefers Wet Locations

Plants listed below will only tolerate flooding for short periods of time (normally only a few days). Very few will actually survive long-term submersion of their root systems.

- Beautyberry, Purple (*Callicarpa dichotoma*)
- Buttonbush (*Cephalanthus occidentalis*)
- Chokeberry (*Aronia* spp.)
- Cinquefoil, Bush (*Potentilla fruticosa*)
- Devilwood, False holly or Osmanthus (*Osmanthus heterophyllus*)
- Dogwood, Redosier (*Cornus sericea*)
- Dogwood, Roughleaf (*Cornus asperifolia*)
- Dogwood, Silky (*Cornus amomum*)
- Elder, American or Elderberry (*Sambucus canadensis*)
- Holly, Deciduous or Possumhaw (*Ilex decidua*)
- Holly, Inkberry (*Ilex glabra*)
- Summersweet (*Clethra alnifolia*)
- Sweetshrub, California (*Calycanthus occidentalis*)
- Sweetspire, Virginia (*Itea virginica*)
- Viburnum, European or Snowball (*Viburnum opulus*)
- Waxmyrtle, Southern (*Morella cerifera*)

Table 2. Evergreen Shrubs

Common Name – Botanical Name	Species Characteristics			Comments
	Height ft.	Spread ft.	Region	
Coniferous Shrubs (Narrowleaf)				
Arborvitae (<i>Thuja</i> species)	1-30	1-15	A	Large shrubs to small trees; many cultivars available within each species, dwarf to compact forms available. Use for foundation plantings, screens, windbreaks, accent plants, or hedges. Prefer fertile, moist, well-drained soils though most are quite tough once established. Best in full sun.
Falsecypress (<i>Chamaecyparis</i> species)	3+	3+	NE, SE	Loam soil. Part sun. Shelter from hot wind and afternoon sun. Many are large plants, even trees. Select cultivars that best fit location, such as dwarf forms. Used more as a specimen plant in protected areas of Oklahoma landscapes.
Juniper, Chinese (<i>Juniperus chinensis</i>)	1-25+	3-10	A	Size varies significantly depending on cultivar and there are many. Spreading shrub to upright shrub or tree.
Juniper, Creeping (<i>J. horizontalis</i>)	1-2	4-8	A	Size is variable, but definitely low-growing, spreading type.
Juniper, Japgarden (<i>J. procumbens</i>)	3/4-2	10-15	A	Attractive in planters.
Juniper, Rocky Mountain (<i>J. scopulorum</i>)	30-40	3-15	NW, SW	Similar to native eastern red cedar.
Juniper, Savin (<i>J. sabina</i>)	4-6	5-10	A	Several cultivars available.
Juniper, Shore (<i>J. conferta</i>)	1-2	6-9	A	May have some shade tolerance.
Pine, Mugo (<i>Pinus mugo</i>)	15-20	25-30	A	Low growing forms available from three to six feet tall.
Spruce, Dwarf Alberta (<i>Picea glauca</i> 'Conica')	10-12	6-8	A	Very slow growing; cone-shaped and dense. Is not highly recommended, but is very common in the trade. Heat, humidity and wind can lead to stress; spider mites are a common problem.
Yew, Anglojap (<i>Taxus x media</i>)	2-20	5-15	A	Cultivar Runyan has performed well in Oklahoma.
Yew, Japanese (<i>T. cuspidata</i>)	5-15		A	Size varies with cultivar. The cultivar Thayerae has performed well in Oklahoma.
Broadleaf Evergreen Shrubs				
Abelia, Glossy (<i>Abelia x grandiflora</i>)	3-6	3-6	NE, SE, SW	May develop severe chlorosis in high pH soils.
Aucuba (<i>Aucuba japonica</i>)	6-10	5-8	SE (NE)	Excellent for shady areas. Not drought tolerant. Tolerates moist clay soils. Variegated forms available.
Azalea, (<i>Rhododendron</i> spp.)	Varies	Varies	NE, SE	Keep mulched, shelter from sun and wind. Not drought tolerant. High maintenance plant. Flowers and twigs poisonous if eaten. Vast selections available; confer with garden center personnel.
Barberry, William Penn (<i>Berberis x gladywynensis</i> 'William Penn')	4	4	A	Showy foliage. Semi-evergreen.
Barberry, Wintergreen or Juliane (<i>B. julianae</i>)	6-8	6-8	A	Very spiny, makes good barrier or hedge. Lustrous dark green leaves, yellow spring flowers, and bluish black fruits that persist into winter.
Boxwood, Common or English (<i>Buxus sempervirens</i>)	15-20	15-20	A	Do not cultivate or over fertilize. Winter sunscald if not shaded. Many cultivars available, most grow smaller than species.
Boxwood, Little Leaf (<i>B. microphylla</i>)	3-4	3-4	A	Slow growth, showy foliage, good for formal plantings.
Camellia, Sasanqua (<i>Camellia sasanqua</i>)			NE, SE	Showy fall flowers. Some camellias yield winter flowers. Dark glossy green leaves.
Cherry Laurel or English Laurel (<i>Prunus laurocerasus</i>)	10-18		SW, NE, SE	Needs well-drained soil. Fragrant flowers. Toxic foliage.
Cherry Laurel, Carolina (<i>Prunus caroliniana</i>)	20-30	15-25	NE, SE	Evergreen, toxic foliage.
Cotoneaster, Bearberry (<i>Cotoneaster dammeri</i>)	1-1 1/2	6+	A	Semi-evergreen, attractive fruits.
Cotoneaster, Willowleaf (<i>C. salicifolius</i>)	1-15	8-12	A	Low spreading cultivars are available. Lustrous dark green foliage, turns red to purple in winter. Colorful red fruits.
Elaeagnus, Silverberry (<i>Elaeagnus pungens</i>)	10-15	10-15	A	Fruits seldom seen, but may attract birds. Semi-evergreen foliage used in hedges.
Euonymus, Japanese (<i>Euonymus japonicus</i> several cultivars)	5-10	5-10	A	Glossy green leaf. Numerous cultivars available. Highly susceptible to scale insect.
Euonymus, Spreading (<i>E. kiautschovicus</i>)	8-10	8-10	A	Fruit not showy, but interestingly attractive. 'Manhattan' cultivar is a superior species.
Euonymus, Winter Creeper (<i>E. fortunei</i>)	1/3-1	3-6+	A	Many cultivars available. Leafspot and scale possible.
Holly, American (<i>Ilex opaca</i>)	15-30	12-20	NE, SE	Well-drained, acid soils; sun to part shade. Leaves have spines. Medium drought tolerance, mulch. Most are large, tree like; much variation by cultivars in form and fruiting. Must have male and female plants for fruit.
Holly, Chinese or Horned (<i>I. cornuta</i>)	8-10	10+	NE, SE	Spiny glossy leaf. Shelter from wind. Many cultivars available. Showy fruit on female plants, male is usually required for fruiting.
Holly, The Blue or Meserve Hollies (<i>I. x meserveae</i>)	8-20	4-10	A	Should grow in northwest Oklahoma with shelter. Deep green leaves with blue gloss. Showy fruit on female plants.

Table 1. Deciduous Shrubs (continued)*

Common Name – Botanical Name	Species Characteristics		Region	Comments
	Height ft.	Spread ft.		
Sumac, Smooth (<i>R. glabra</i>)	10-15	10-15	A	Excellent fall color; crimson fruits on female plants. Suckers form colonies. Tough plant found growing in difficult sites.
Sumac, Staghorn (<i>R. typhina</i>)	15-25	15-25	A	Excellent fall color; crimson fruits on female plants. Suckers form colonies. Tough plant found growing in difficult sites.
Summersweet or Sweet Pepperbush (<i>Clethra alnifolia</i>)	4-8	4-6	NE, SE	Easy to grow native shrub. Prefers acid soils; grows in wet places, sun or partial shade. Excellent summer flowers are fragrant and attract bees and butterflies. Many cultivars available. Good yellow fall color.
Sweetspire, Virginia (<i>Itea virginica</i>)	3-5	3-5	NE, SE	White flower, showy fall color.
Viburnum, American Cranberrybush (<i>Viburnum trilobum</i>)	3-12	4-12	A	Native species that prefers moist, well-drained soils; will decline under moisture stress. White spring flowers and bright red fruits that are edible and sometimes used in preserves. Leaves medium to dark green in summer, turning yellow to red-purple in fall; new growth has reddish tinge. Excellent foliage, flower and fruiting characteristics; makes good screen and informal hedge; neat compact forms available.
Viburnum, Arrowwood (<i>Viburnum dentatum</i>)	6-8	6-15	A	Showy blue fruits. Several cultivars available.
Viburnum, Blackhaw (<i>V. prunifolium</i>)	12-15	8-12	A	Native species adaptable to many soils, does well in dry soils; sun or shade. Creamy white spring flowers; fruits pinkish, rose, maturing to bluish black, edible. Good summer leaf color changing to red to purplish red in fall.
Viburnum, Burkwood (<i>V. x burkwoodii</i>)	8-10	6-8	A	Fragrant flowers.
Viburnum, Doublefile or Japanese (<i>V. plicatum</i> var. <i>tomentosum</i>)	8-10	9-12	NE, SE	White flowers, heavily floriferous.
Viburnum, European or Snowball (<i>V. opulus</i>)	8-12	10-15	A	White flowers, red fruits.
Viburnum, Siebold (<i>V. sieboldii</i>)	15-20	10-15	A	Creamy white spring flowers. Red fruits, attract birds. Dark shiny green summer foliage. Prefers moist, well-drained soils, pH adaptable. Grows in sun or part shade; may scorch in dry soils.
Viburnum, Southern Blackhaw or Rusty Blackhaw (<i>V. rufidulum</i>)	10-20	10-20	A	Native species with creamy white spring flowers and dark blue fruit. Leaves turn burgundy in fall. Very drought tolerant.
Vitex, or Chaste Tree (<i>Vitex agnus-castus</i>)	8-10	8-10	A	Lavender, pink, or white flowers, attractive foliage. Attracts butterflies. May freeze, but will regenerate from roots.
Weigela (<i>Weigela florida</i>)	6-9	9-12	A	Many cultivars.
Willow, Goat or Pussy (<i>Salix caprea</i>)	15-25	12-15	A	Fast growth, showy winter or early spring flowers.
Woadwaxen (<i>Genista</i> species)	2-3	2-3	A	Good low growing plant for poor, dry soils. Beautiful yellow early summer flowers.
Winterhazel (<i>Corylopsis</i> spp.)	4-20	4-15	NE, SE	Bright green summer foliage.
Witchhazel (<i>Hamamelis vernalis</i>)	6-10	4-5	SW, NE, SE	Prefers moist, acid, well-drained soil. Shelter from late freezes to protect early, pale yellow, fragrant flowers that appear before leaves in spring.
Yellowroot (<i>Xanthorhiza simplicissima</i>)		2-3	NE, SE	Grow for winter flowers.

* Many varieties and cultivars of shrubs exist that are not listed. For the sake of brevity, only one or two samples are provided for any given group of plants. For example, there are numerous variations or cultivars of barberry, viburnum and others selected for foliage or flower color, size, etc.



Shrubs with variegated foliage, like this five-leaf aralia, really stand out in shady areas.

Tolerates or Prefers Shade

The following plants will perform well under shady conditions.

- Abelia, Glossy (*Abelia x grandiflora*)
- Aralia, Fiveleaf (*Eleutherococcus sieboldianus*)
- Aucuba, Japanese (*Aucuba japonica*)
- Azalea (*Rhododendron* spp.)
- Barberry, Japanese (*Berberis thunbergii*)
- Barberry, Mentor (*Berberis x mentorensis*)
- Boxwood, Common (*Buxus sempervirens*)
- Buttonbush (*Cephalanthus occidentalis*)
- Camellia (*Camellia* spp.)
- Coralberry or Snowberry (*Symphoricarpos* spp.)
- Currant, Golden (*Ribes aplinum* 'Aureum')
- Dogwood, Redosier (*Cornus sericea*)
- Euonymus (*Euonymus* spp.)
- Fothergilla (*Fothergilla* spp.)
- Holly (*Ilex* spp.)
- Honeysuckle, Winter (*Lonicera fragrantissima*)
- Hydrangea (*Hydrangea* spp.)
- Jasmine, Winter (*Jasminum nudiflorum*)
- Jetbead, Black (*Rhodotypos scandens*)
- Kerria, Japanese (*Kerria japonica*)
- Mockorange (*Philadelphus* spp.)
- Mahonia, creeping (*Mahonia repens*)
- Mahonia, Leatherleaf (*Mahonia bealei*)
- Nandina, Heavenly bamboo (*Nandina domestica*)
- Pine, Mugo (*Pinus mugo* var. *mugo*)
- Privet (*Ligustrum* spp.)
- Spirea, Vanhoutte (*Spiraea x vanhouttei*)
- Sweetspire, Virginia (*Itea virginica*)
- Weigela, Old fashioned (*Weigela florida*)
- Yew, (*Taxus* spp.)
- Viburnum (*Viburnum* spp.)

Tolerates or Prefers Alkaline Soils

Many of the plants listed below will thrive and remain green despite growing in high pH soils. However, when pH values exceed pH 8.0 or higher, it may be difficult to grow some of the species below.



Aucuba or Gold Dust plant is excellent for heavily shaded areas.

Shrubs with variegated leaves.



Common Boxwood



Abelia 'Confetti'

- Althea or Rose of Sharon (*Hibiscus syriacus*)
- Barberry (*Berberis* spp.)
- Beautyberry, Purple (*Callicarpa dichotoma*)
- Beautybush (*Kolkwitzia amabilis*)
- Bluebeard or Blue-mist Shrub (*Caryopteris x clandonensis*)
- Boxwood (*Buxus* spp.)
- Buddleia or Butterfly Bush (*Buddleia davidii*)
- Bush cinquefoil (*Potentilla fruticosa*)
- Carolina Allspice or Sweetshrub (*Calycanthus floridus*)

Chokeberry (*Aronia* spp.)
 Cotoneaster (*Cotoneaster* spp.)
 Crapemyrtle (*Lagerstroemia indica*)
 Dogwood, Redosier or Red Twig (*Cornus sericea*)
 Euonymus (*Euonymus* spp.)
 Firethorn (*Pyracantha* spp.)
 Forsythia (*Forsythia x intermedia*)
 Honeysuckle (*Lonicera* spp.)
 Juniper (*Juniperus* spp.)
 Lilac (*Syringa* spp.)
 Mahonia (*Mahonia* spp.)
 Mockorange (*Philadelphus* spp.)
 Nandina (*Nandina domestica*)
 Ninebark (*Physocarpus* spp.)
 Pine (*Pinus* spp.)
 Privet (*Ligustrum* spp.)
 Snowberry (*Symphoricarpos albus*)
 Spirea (*Spiraea* spp.)
 Viburnum (*Viburnum* spp.)
 Yew (*Taxus* spp.)
 Yucca (*Yucca* spp.)

Tolerates Salty Soils

Plants below have varying degrees of tolerance to saline soils. While some may survive salty soils, the homeowner should still expect the possibility of burned or scorched leaves with overall stunting of the plant a possibility.

Bayberry, northern (*Myrica pensylvanica*)
 Blueberry, highbush (*Vaccinium corymbosum*)
 Bush-Honeysuckle, southern (*Diervilla sessilifolia*)
 Chokeberry, black (*Aronia melanocarpa*)
 Chokeberry, red (*Aronia arbutifolia*)
 Cinquefoil, bush (*Potentilla fruticosa*)
 Cotoneaster, rock (*Cotoneaster apiculatus*)
 Cotoneaster, spreading (*Cotoneaster divaricatus*)
 Cotoneaster, willowleaf (*Cotoneaster salicifolius*)
 Holly, inkberry (*Ilex glabra*)
 Holly, Japanese (*Ilex crenata*)
 Hydrangea, bigleaf (*Hydrangea macrophylla*)
 Hydrangea, oakleaf (*Hydrangea quercifolia*)
 Hydrangea, panicle (*Hydrangea paniculata*)
 Hydrangea, smooth (*Hydrangea arborescens*)
 Juniper, shore (*Juniperus conferta*)
 Lilac, littleleaf (*Syringa microphylla*)
 Lilac, Manchurian (*Syringa patula* 'Miss Kim')
 Lilac, Meyer (*Syringa meyeri* 'Palibin')
 Privet, Amur (*Ligustrum amurense*)

Interesting Stems or Bark



Harry Lauder's Walkingstick



Diablo Ninebark

Rose, rugosa (*Rosa rugosa*)
 Viburnum, Arrowwood (*Viburnum dentatum*)
 Viburnum, blackhaw (*Viburnum prunifolium*)
 Viburnum, siebold (*Viburnum sieboldii*)
 Yew, Anglojap (*Taxus x media* cultivars)
 Yew, Japanese (*Taxus cuspidata*)

Winter Interest

Many plants have ornamental merit during the cold months. There are a number of other attributes to seek out in addition to flowers; many plants have characteristics that set them above other plants, such as the colorful bark of redosier dogwood, the colorful fruit of deciduous holly that persist into the winter, and the unusual branching habit of Harry Lauder's walkingstick.

Show Bark/Branches or Unusual Form:

Beautybush (*Kolkwitzia amabilis*)
 Dogwood, redosier (*Cornus sericea*)
 Dogwood, yellowtwig (*Cornus sericea* 'Flaviramea')
 Euonymus, Winged or Burning bush (*Euonymus alatus*)
 Harry Lauder's walkingstick (*Corylus avellana* 'Contorta')
 Honeysuckle (*Lonicera* spp.)
 Kerria, Japanese (*Kerria japonica*)

Interesting or Showy Fruit:

Barberry, Japanese (*Berberis thunbergii*)
 Beautyberry (*Callicarpa japonica*)
 Buckthorn, Carolina (*Rhamnus caroliniana*)
 Buffaloberry, Silver (*Shepherdia argentea*)
 Buttonbush (*Cephalanthus occidentalis*)
 Chokeberry, Black (*Aronia melanocarpa*)
 Chokeberry, Red (*Aronia arbutifolia*)
 Coralberry, Indiancurrant or Buckbrush (*Symphoricarpos orbiculatus*)
 Cotoneaster (*Cotoneaster* spp.)
 Dogwood (*Cornus* spp.)
 Elder or Elderberry (*Sambucus* spp.)
 Euonymus (*Euonymus* spp.)
 Firethorn (*Pyracantha coccinea*)
 Hardy orange (*Poncirus trifoliata*)
 Holly (*Ilex* spp. and hybrids)



Diablo Ninebark

Table 1. Deciduous Shrubs (continued)*

Common Name – Botanical Name	Species Characteristics			Region	Comments
	Height ft.	Spread ft.	Deciduous Shrubs		
Parrotia, Persian (<i>Parrotia persica</i>)	20-30	15-30		A	Large shrub or small tree. Prefers well-drained, slightly acid soil. Is quite tolerant of heat, drought, wind and cold once established, but appreciates late shade. Interesting deep maroon flowers appear in late winter. New growth reddish in color changing to a lustrous green for summer; can be a brilliant yellow or orange in fall. Bark exfoliates leaving patches of green, cream, and gray adding year round interest.
Pearl Bush, Common (<i>Exochorda racemosa</i> ; <i>E. x macrantha</i>)	10-15	10-15		NE, SE	White flowers.
Plum, American or Wild (<i>Prunus americana</i>)	15-20	15-20		A	Native species that grows into a shrub or small tree. Often forms large colonies from suckering. Early white spring flowers. Fruit yellow to red, with thick skin and juicy sour edible pulp. Eaten fresh and in jellies and preserves. Good for erosion control and attracting wildlife.
Plum, Sand or Chickasaw (<i>P. angustifolia</i>)	6	6		A	Sand plum develops mostly into a thicket-forming shrub though it can become a small tree. Spreads by suckers. Early white spring flowers. Fruit shiny red though sometimes yellow; edible. Grows in sandy soils. Thickets serve as erosion control and provide food and cover for wildlife.
Pomegranate (<i>Punica granatum</i>)	12-20	12-20		NE, SE	Glossy foliage; orange flowers; edible fruit; may freeze back.
Privet, Amur (<i>Ligustrum amurense</i>)	12-15	8-10		A	Very adaptable shrub to most growing conditions except very wet soils. Takes well to pruning and is often used as a hedge.
Privet, Common or Hedge plant (<i>Ligustrum vulgare</i>)	12-15	12-15		A	Good for "instant" hedge.
Privet, Golden or Golden Vicary (<i>L. x vicaryi</i>)	10-12	6-8		A	Golden yellow foliage color.
Quince, Flowering (<i>Chaenomeles speciosa</i>)	6-10	6-10		A	White, pink, or red flowers.
Rose (<i>Rosa</i> spp.)	4-6	4-6		A	Seek grower advice for disease resistant cultivars.
Saint John's-wort (<i>Hypericum patulum</i>)	3-4	3-4		A	Yellow summer flowers.
Serviceberry (<i>Amelanchier</i> species)	6-25	6-25		NE, SE	Prefer moist, acid soils. Year round interest, white to pink spring flowers; edible fruits that may turn red to black to purplish-black; good fall color. Several cultivars available.
Siberian Peashrub (<i>Caragana arborescens</i>)	15-20	12-18		A	Grows well in tough sites; yellow flowers.
Smoketree or Smokebush (<i>Cotinus cogggria</i>)	10-15	10-15		A	Unique flowers panicles appear in summer. Tiny hairs on panicles clusters turn a smoky pink to purplish giving the appearance of puffs of smoke coming from the shrub.
Snowberry (<i>Symphoricarpos albus</i>)	3-6	3-6		A	Purple leaf forms available; fall color can be spectacular on cultivars. Adaptable to wide range of soil and pH conditions.
Spicebush (<i>Lindera benzoin</i>)	6-12	6-12		NE, SE	White fruits. <i>S. orbiculatus</i> has pink fruits.
Spirea, Anthony Waterer (<i>Spiraea x bumalda</i> 'Anthony Waterer')	3-4	4-5		A	Does best in well-drained moist soils; sun to part shade. Yellow to golden yellow fall color. Bright scarlet fruits are attractive on female plants after leaves have fallen.
Spirea, Magic Carpet (<i>S. japonica</i> 'Magic Carpet')	2-3	2-3		A	Pink summer flowers.
Spirea, Vanhoutte (<i>S. x vanhouttei</i>)	6-8	10-12		A	Orange-red to reddish purple young new shoots, yellow-gold at maturity, pinkish flowers.
Sumac, Cutleaf (<i>Rhus glabra</i> 'Laciniata')	10-15	10-15		A	Common shrub with arching, fountain-like habit with spectacular spring display of white flowers. Very tough.
Sumac, fragrant (<i>R. aromatica</i>)	2-6	6-10		A	Leaflets deeply cut and lobed; produces bright scarlet fruit. Low spreading shrub. Glossy green summer foliage, turning orange to red to purplish-red in fall. Very drought tolerant. 'Gro-low' has yellow female flowers that produce hairy red fruits; good groundcover, foundation plant, attracts wildlife, and can be used to control erosion on slopes.

Table 1. Deciduous Shrubs (continued)*

Common Name – Botanical Name	Species Characteristics			Region	Comments
	Height ft.	Spread ft.	Region		
Dogwood, Redosier or Red Twig (<i>C. sericea</i>)	7-9	10	A	Hot, humid conditions may lead to decline. Red twigs showy in winter. Good for naturalizing in moist and wet soils. Spring flowers and late summer fruit good for wildlife.	
Dogwood, Roughleaf (<i>C. asperifolia</i> and <i>C. a. var. drummondii</i>)	15	15	NE, SE		
Dogwood, Silky (<i>C. anomum</i>)	6-10	6-10	NE, SE	Good for naturalizing in moist and wet soils. Yellowish white spring flowers and bluish, late summer fruit good for wildlife.	
Eastern Wahoo (<i>Euonymus atropurpureus</i>)	12-24	8-10	A	Attractive fall color and fruits. Can be trained as a tree. White summer flowers. Purple-black fruit; attracts birds. Suckers profusely. Cultivars available.	
Elder, American or Elderberry (<i>Sambucus canadensis</i>)	5-12	5-12	A		
Euonymus, American or Strawberry-bush (<i>E. americanus</i>)	4-6	3-4	A	Can be infected by scale. Red fall color and showy fruits.	
Euonymus, Winged or Burning Bush (<i>E. alatus</i>)	10-20	10-20	A	Does not contract scale. Dwarf cultivars available, five to 10 feet high and wide. Fruit is edible. May freeze back from harsh winters.	
Fig, Common (<i>Ficus carica</i>)	8-10	5-7	NE, SE		
Forsythia (<i>Forsythia x intermedia</i>)	8-10	10-12	A	Very early yellow flowers.	
Fothergilla (<i>Fothergilla</i> spp.)	6-10	5-8	NE, SE	Prefers acid soils. Interesting white flowers appear before leaves in early spring. Provide shade for optimal growth; leaf scorch may occur if planted in full sun.	
Hardy Orange (<i>Poncirus trifoliata</i>)	8-20	6-15	NE, SE	Prefers well-drained, acid soils. Bright green stems with spines up to 2 inches. A yellow, very sour fruit is produced in fall. A novelty plant; can be used as a thick hedge. Interesting stems that curl and twist. Leaves also twisted.	
Harry Lauder's Walkingstick or Contorted Filbert (<i>Corylus avellana 'Contorta'</i>)	8-10	8-10	A	Adaptable to wet conditions. Prefers moist, acid soils. Full sun or part shade. Colorful fruits. Many cultivars and hybrids available.	
Holly, Common Winterberry (<i>Ilex verticillata</i>)	6-10	6-10	NE, SE		
Holly, Deciduous or Possumhaw (<i>I. decidua</i>)	7-15	7-15	A	Very durable plant. Best ornamental attribute is the showy, colorful fruits that persist into the winter months. Several cultivars are available including weeping forms and those offering fruit colors from yellow, orange to red.	
Honeysuckle, Morrow (<i>Lonicera morrowii</i>)	6-8	6-10	A	Red fruits, shrub type habit.	
Honeysuckle, Tatarian (<i>L. tatarica</i>)	10-12	10	A	Considered weedy. Many cultivars.	
Honeysuckle, Winter (<i>L. fragrantissima</i>)	6-10	6-10	A	Exceptional fragrance. Blooms in Feb.-March. Semi-evergreen.	
Hydrangea (<i>Hydrangea</i> spp.)	3-6	3-6	A	Showy flowers, pH sensitive.	
Hydrangea, Oakleaf (<i>Hydrangea quercifolia</i>)	4-6	4-6	A	Best in shade, moist soil. Showy flowers, good fall color, many cultivars available. Oklahoma Proven selection.	
Jasmine, Winter (<i>Jasminum nudiflorum</i>)	3-4	4-7	A	Flowers December - March. Bright yellow flowers. Young stems bright green.	
Jetbead, Black (<i>Rhodotypos scandens</i>)	3-6	4-9	A	Durable and adaptable to differing soil conditions; pH adaptable. Tolerant of shade or sun. White flower on tips of branches appear late spring or early summer followed by shiny black fruits. Good for heavy shade, shrub borders or masses.	
Kerria, Japanese (<i>Kerria japonica</i>)	3-6	6-9	A	Full shade; bright yellow flowers in late spring or early summer. Green stems are showy in winter. Oklahoma Proven Selection.	
Lilac, French or Common (<i>Syringa vulgaris</i> and other related species.)	8-15	6-12	A	Seek out local expertise when choosing lilacs. Besides finding mildew-resistant types, inquire about fragrance and other ornamental characteristics.	
Mockorange, Sweet (<i>Philadelphus coronarius</i> and related spp.)	10-12	10-12	A	Many types available for white, fragrant spring flowers.	
New Jersey Tea (<i>Ceanothus americanus</i>)	3-4	3-5	A	Prefers light, well-drained soils; tolerates dryness, avoid excessive irrigation.	
Ninebark, dwarf (<i>Physocarpus opulifolius</i>)	5-7	5-6	A	Low, compact shrub with white flowers mid summer.	
Paradise Poinciana or Bird of Paradise (<i>Caesalpinia gilliesii</i>)	10	6-8	NE, SE, SW	Diablo™ and other purple leaf selections are available. May freeze back depending upon variety and planting location, but often root hardy. Grow for tropical looking flowers.	

Honeysuckle, Morrow (*Lonicera morrowii*)
Honeysuckle, Tatarian (*Lonicera tatarica*)
Jetbead, Black (*Rhodotypos scandens*)
Juniper (*Juniperus* spp.)
Mahonia (*Mahonia* spp.)
Nandina or Heavenly bamboo (*Nandina domestica*)
Privet (*Ligustrum* spp.)
Sumac (*Rhus* spp.)
Viburnum (*Viburnum* spp.)

Flowers During Winter and Early Spring

Camellia (*Camellia* spp.)
Forsythia (*Forsythia* spp.)
Jasmine, winter (*Jasminum nudiflorum*)
Honeysuckle, winter (*Lonicera fragrantissima*)
Quince, Flowering (*Chaenomeles* spp.)
Spirea (certain *Spiraea* spp.)
Witchhazel (*Hamamelis* spp.)
Winterhazel (*Corylopsis* spp.)

Showy Flowers

We expect herbaceous annual and perennial ornamental plants to bloom in the landscape, but it is an added bonus when shrubs bloom. The following shrubs provide colorful, showy flowers.

Abelia, glossy (*Abelia x grandiflora*)

Althea or Rose of Sharon (*Hibiscus syriacus*)
Azalea (*Rhododendron* spp.)
Barberry (*Berberis* spp.)
Beautyberry (*Callicarpa japonica*)
Beautybush (*Kolkwitzia amabilis*)
Bluebeard or Blue-mist Shrub (*Caryopteris x clandonensis*)
Bush Cinqufoil (*Potentilla fruticosa*)
Buttonbush (*Cephalanthus occidentalis*)
Butterfly bush (*Buddleia* spp.)
Camellia (*Camellia* spp.)
Carolina Allspice or Sweetshrub (*Calycanthus floridus*)
Cherrylaurel, Carolina (*Prunus caroliniana*)
Cherrylaurel, Otto Luyken (*Prunus laurocerasus* 'Otto Luyken')
Cherrylaurel, Common (*Prunus laurocerasus*)
Cotoneaster (*Cotoneaster* spp.)
Crapemyrtle (*Lagerstroemia indica*)
Flowering quince (*Chaenomeles speciosa*)
Forsythia (*Forsythia* spp.)
Honeysuckle (*Lonicera* spp.)
Hydrangea (*Hydrangea* spp.)
Indian Hawthorn (*Raphiolepis* spp.)
Lilac (*Syringa* spp.)
Mahonia (*Mahonia* spp.)
Mockorange, sweet (*Philadelphus* spp.)
Nandina or Heavenly bamboo (*Nandina domestica*)
Pearl Bush (*Exochorda* spp.)
Photinia (*Photinia* spp.)

Flowering Shrubs

Ballerina Rose

Burgundy Chilopsis

Woadwaxen

Summersweet

Bird of Paradise

Purple Smoketree

Flowering Shrubs



Fothergilla



St. Johnswort




Japanese Kerria



Leatherleaf Mahonia



Oakleaf Hydrangea



Azaleas and Japanese Kerria



Pink Velour Crapemyrtle



Chastetree

Winter Jasmine



Table 1. Deciduous Shrubs (some grow naturally as small trees or can be trained as a standard)*

Common Name – Botanical Name	Species Characteristics		
	Height ft.	Spread ft.	Region
Deciduous Shrubs			
Althea or Rose of Sharon (<i>Hibiscus syriacus</i>)	8-12	6-10	A
Aralia, Fivelaaf (<i>Eleutherococcus sieboldianus</i>)	8-10	8-10	A
Barberry, Japanese (<i>Berberis thunbergii</i>)	3-6	4-7	A
Barberry, Mentor (<i>B. x mentorensis</i>)	5	5-7	A
Barberry, Red leaf (<i>B. thunbergii atropurpurea</i>)	3-6	4-7	A
Bayberry (<i>Myrica pensylvanica</i>)	5-12	5-12	NE, SE
Beautyberry, Purple (<i>Callicarpa dichotoma</i>)	3-4	4-5	A
Beautybush (<i>Kolkwitzia amabilis</i>)	6-10	5-8	A
Bladdernut, American (<i>Staphylea trifolia</i>)	10-15	10-15	NE, SE
Bluebeard or Blue-mist Shrub (<i>Caryopteris x clandonensis</i>)	3-5	3-5	A
Blueberry, Highbush (<i>Vaccinium corymbosum</i>)	4-12	5-12	NE, SE
Buckthorn, Carolina or Indian Cherry (<i>Rhamnus caroliniana</i>)	10-15	10-15	A
Buddleia, Butterfly Bush (<i>Buddleia davidii</i>)	5-10	4-5	A
Buffalberry, Silver (<i>Shepherdia argentea</i>)	6-10	6-10	A
Bush Cinquefoil (<i>Potentilla fruticosa</i>)	1-4	2-4	A
Bush-honeysuckle, Southern (<i>Diervilla sessilifolia</i>)	3-5	3-5	A
Buttonbush (<i>Cephalanthus occidentalis</i>)	3-6		A
Carolina Allspice or Sweetshrub (<i>Calycanthus floridus</i>) (also California Sweetshrub, <i>Calycanthus occidentalis</i>)	6-9	6-12	A
Chokeberry, Black (<i>Aronia melanocarpa</i>)	3-5	3-5	A
Chokeberry, Purple-fruited (<i>A. x prunifolia</i>)	8	4-6	A
Chokeberry, Red (<i>A. arbutifolia</i>)	6-10	3-5	A
Corralberry, Chenault (<i>Symphoricarpos x chenaultii</i>)	2-6	3-12	A
Corralberry, Indianturrit or Buckbrush (<i>S. orbiculatus</i>)	2-5	4-8	A
Cotoneaster, Cranberry (<i>Cotoneaster apiculatus</i>)	3	3-6	A
Cotoneaster, Rock (<i>C. horizontalis</i>)	2-3	5-8	A
Cotoneaster, Spreading (<i>C. divaricatus</i>)	5-6	6-8	A
Crapemyrtle (<i>Lagerstroemia indica</i>)	6-20		A
Currant, Clove, Missouri, or Golden (<i>Ribes odoratum</i>)	6-8	4-5	A
Desert-willow (<i>Chilopsis linearis</i>)	15-25	10-15	NW, SW
Devils-walkingstick (<i>Aralia spinosa</i>)	10-20	10-20	A
Dogwood, Gray (<i>Cornus racemosa</i>)	10-15	10-15	NE, SE

Wildscape candidate. Red, white, pink and purple flowers. Tolerant of acid or alkaline, sand or clay; very drought tolerant. 'Variegatus' has bright green foliage with creamy white edges that stand out in shaded areas. Green foliage, small thorns, red fruits. Yellow flowers, semi-evergreen. Reddish or purple foliage, many selections available. Male and female plants needed for good fruit development. White fruits available. Prune to expose exfoliating bark. Good plant for naturalizing; suckers. White flowers in spring; interesting bladderlike fruits. Prefers moist, well-drained soil. Sometimes freezes back, but regenerates from roots. True blue flowers. Popular for tasty fruit; many cultivars available. Good ornamental for spring flowers, colorful berries and nice fall color; also an excellent plant to attract wildlife. Needs acid soils. Handsome foliage and beautiful fruit that turn red to black as they mature. Large shrub or small tree. Native species. Wildscape plant. Attracts butterflies. Good for poor, dry, high pH soils. Thorny. Red or orange fruits, yellow-fruited selections available. May suffer from heat stress. Flowers in a variety of colors. Glossy dark green leaves, yellow flowers in summer. Very adaptable and pest free. Good for growing in or near ponds, but also tolerant of normal landscaping conditions. Glossy foliage, white flowers, button-like fruit. Fragrant flowers. Prefers deep, moist loam. Adapts to acid and alkaline soils. Shade or sun. Suckers profusely forming large colonies over time. Provides year round interest. Tends to sucker. Good for banks and difficult to mow areas. Tends to sucker. Good for banks and difficult to mow areas. Low spreading arching. Cultivars available; colorful berries; wildlife plant. Colorful fruit that persists into winter; good wildlife plant. Several cultivars available. Occasional disease and insect problems. Showy fruits. Occasional disease and insect problems. Showy fruits. Occasional disease and insect problems. Showy fruits. Many cultivars available. Actual size of plant is based on cultivar. Choose powdery mildew resistant varieties. In colder areas, may freeze back, but will regrow from roots. Yellow, clove-scented flowers, edible fruit. Large shrub or small tree for dry, well-drained soils. Showy flowers early to mid summer. Has bi- to tri-pinnately compound leaves providing a tropical effect. Stems spiny. Some what of a novelty plant that is adapted to a wide range of growing conditions. Good for naturalizing; good winter characteristics. Fruit favored by birds.

Evergreen Shrubs



Viburnum



William Penn Barberry



Southern Waxmyrtle

Viburnum, blackhaw (*Viburnum prunifolium*)
 Viburnum, Southern blackhaw (*Viburnum rufidulum*)
 Yellowroot (*Xanthorhiza simplissima*)

Cherry laurel (*Prunus* spp.)
 Devilwood, False holly or Osmanthus (*Osmanthus heterophyllus*)
 Holly (*Ilex* spp.)
 Juniper, Chinese (*Juniperus chinensis* cultivars)
 Privet (*Ligustrum* spp.)
 Rhododendron (*Rhododendron* spp.)
 Viburnum (*Viburnum* spp.)
 Waxmyrtle (*Morella cerifera*)
 Yews (*Taxus* spp.)

Make Good Hedges

Many shrubs are suitable for use as a hedge. However, some work better than others depending on if they are trained into a clipped, formal hedge or pruned more informally to maintain the natural form and shape of the plant. Plants with smaller leaves, as opposed to wide, large leaves, work best for formal, clipped hedges.

Shrubs for formal, clipped hedge:

Abelia (*Abelia* spp.)
 Barberry, Wintergreen (*Berberis julianae*)
 Boxwood (*Buxus* spp.)
 Devilwood, False holly or Osmanthus (*Osmanthus heterophyllus*)
 Holly (*Ilex* spp.)
 Yews (*Taxus* spp.)

Shrubs for natural hedges:

Abelia (*Abelia* spp.)
 Barberry (*Berberis* spp.)
 Boxwood (*Buxus* spp.)
 Cherry laurel (*Prunus* spp.)
 Cotoneaster (*Cotoneaster* spp.)
 Crapemyrtle (*Lagerstroemia* spp.)
 Firethorn (*Pyracantha* spp.)
 Forsythia (*Forsythia* cultivars)
 Holly (*Ilex* spp.)
 Honeysuckle (*Lonicera* spp.)
 Juniper (*Juniperus* spp.)
 Photinia (*Photinia* spp.)
 Privet (*Ligustrum* spp.)
 Rose (*Rosa* spp.)
 Viburnum (*Viburnum* spp.)

Evergreens for Background and Screens:

Arborvitae (*Thuja* spp.)
 Azaleas (*Rhododendron* hybrids)
 Boxwood (*Buxus* spp.)

Oklahoma State University, in compliance with Title VI and VII of the Civil Rights Act of 1964, Executive Order 11246 as amended, Title IX of the Education Amendments of 1972, Americans with Disabilities Act of 1990, and other federal laws and regulations, does not discriminate on the basis of race, color, national origin, gender, age, religion, disability, or status as a veteran in any of its policies, practices, or procedures. This includes but is not limited to admissions, employment, financial aid, and educational services.

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Robert E. Whitson, Director of Cooperative Extension Service, Oklahoma State University, Stillwater, Oklahoma. This publication is printed and issued by Oklahoma State University as authorized by the Vice President, Dean, and Director of the Division of Agricultural Sciences and Natural Resources and has been prepared and distributed at a cost of \$3.75 per copy. 0109 GH

Pyracantha or Firethorn (*Pyracantha coccinea*)
 Rose (*Rosa* spp.)
 Sand plum (*Prunus angustifolia*)
 Siberian peashrub (*Caragana arborescens*)
 Spirea (*Spiraea* spp.)
 St. Johnswort (*Hypericum* spp.)
 Sweetspire (*Itea virginica*)
 Viburnums (*Viburnum* spp.)
 Vitex, Chaste tree (*Vitex agnus-castus*)
 Weigela (*Weigela florida*)
 Winter jasmine (*Jasminum nudiflorum*)
 Witchhazel (*Hamamelis vernalis*)

Fall Color

Many factors influence the quality and intensity of fall color for any given year. Some of the plants listed below have specific species or cultivars that are known for reliable and markedly vivid fall color. When fall color is the priority trait desired, it is advisable to purchase the plant in the fall when such colors can be viewed and critiqued by the consumer.

Barberry, Japanese (*Berberis thunbergii*)
 Beautyberry (*Callicarpa* spp.)
 Blueberry (*Vaccinium* spp.)
 Carolina Allspice or Sweetshrub (*Calycanthus floridus*)
 Chokeberry (*Aronia* spp.)
 Cotoneaster (*Cotoneaster* spp.)
 Crapemyrtle (*Lagerstroemia* spp.)

Dogwood (*Cornus* spp.)
 Euonymus, Winged or Burning Bush (*Euonymus alata*)
 Forsythia (*Forsythia* spp.)
 Fothergilla (*Fothergilla* spp.)
 Hydrangea, Oakleaf (*Hydrangea quercifolia*)
 Mahonia, creeping and Oregon grapeholly (*Mahonia repens* and *M. aquifolium*)
 Nandina, heavenly bamboo (*Nandina domestica*)
 Ninebark (*Physocarpus* spp.)
 Parrotia, Persian (*Parrotia persica*)
 Serviceberry (*Amelanchier* spp.)
 Smoketree (*Cotinus coggygria*)
 Spirea (*Spiraea* spp.)
 Sumac (*Rhus* spp.)
 Sweetspire, Virginia (*Itea virginica*)
 Viburnum (*Viburnum* spp.)
 Witchhazel (*Hamamelis* spp.)

Garden and Patio or Large Containers

Just a few of the many plants that are candidates for containers are listed below; theoretically, most shrubs could be containerized. However, some plants do not perform well or outgrow containers after many years. If permanent plantings are your expectation, check with garden center personnel for the best plant or plants to use for long-term success.

Abelia, glossy (*Abelia x grandiflora*)
 Barberry (*Berberis* spp.)

Shrubs with colorful foliage



Golden Chamaecyparis



Loropetalum



Purple smoketree



'Magic Carpet' Spirea



'Diablo' Ninebark

Shrubs with attractive fruit



Burning Bush



Beautyberry



Black Jetbead



Deciduous Holly

Firethorn



Leatherleaf Mahonia

Boxwood (*Buxus* spp.)
 Holly, Evergreen and deciduous (*Ilex* spp.)
 Juniper (*Juniperus* spp.)
 Mahonia, creeping (*Mahonia repens*)
 Nandina, dwarf selections (*Nandina domestica*)
 Yew (*Taxus* spp.)

Small Shrubs for Small Spaces

Many species have cultivars that have been selected for their short height or narrow width at maturity.

Arborvitae, Dwarf (*Thuja* spp.)
 Crapemyrtle, Miniature (*Lagerstroemia* spp.)
 Dwarf Alberta Spruce (*Picea glauca* 'Conica')
 Euonymus, Dwarf Box leaf (*Euonymus japonicus* 'Microphyllus')
 Indian Hawthorn, Ballerina (*Rhaphiolepis* spp.)
 Junipers (*Juniperus* spp.)
 Mahonia, Creeping (*Mahonia repens*)
 Nandina, Dwarf (*Nandina domestica*)
 Pine, Mugo (Dwarf cultivars) (*Pinus mugo*)
 Pomegranate, Dwarf (*Punica granatum*)
 Roses, Miniature (*Rosa* spp.)
 Waxmyrtle, Dwarf (*Myrica* spp.)

Attract Wildlife

Many gardeners not only enjoy plants in the landscape, but also the wildlife that may be attracted to it. The following shrubs may attract wildlife by the fruit they produce or by providing physical protection.

Abelia (*Abelia* spp.)
 Azalea (*Rhododendron* spp.)
 Barberry (*Berberis* spp.)
 Bayberry (*Myrica pensylvanica*)
 Beautyberry (*Callicarpa* spp.)
 Blackberry (*Rubus* spp.)
 Blueberry (*Vaccinium* spp.)
 Buckthorn, Carolina (*Rhamnus carolinianus*)
 Butterfly Bush (*Buddleia* spp.)
 Cherrylaurel, Carolina (*Prunus caroliniana*)
 Corralberry, Indiancurrant or Buckbrush (*Symphoricarpos orbiculatus*)
 Currant, Clove (*Ribes odoratum*)
 Dogwood, Roughleaf (*Cornus drummondii*)
 Eastern Wahoo (*Euonymus atropurpureus*)
 Elder, American or Elderberry (*Sambucus canadensis*)
 Firethorn (*Pyracantha coccinea*)
 Grapeholly (*Mahonia* spp.)
 Holly (*Ilex* spp.)
 Juniper (*Juniperus* spp.)
 Magnolia, Sweet Bay (*Magnolia virginiana*)

New Jersey Tea (*Ceanothus americanus*)
 Plum, Sand (*Prunus augustifolia*)
 Privet (*Ligustrum* spp.)
 Quince, Flowering (*Chaenomeles* spp.)
 Rose (*Rosa* spp.)
 Spicebush (*Lindera benzoin*)
 Strawberry bush (*Euonymus* spp.)
 Sumac (*Rhus* spp.)
 Viburnum (*Viburnum* spp.)
 Weigela (*Weigela* spp.)
 Yucca (*Yucca* spp.)

Native Species

Native, in this context, is defined as any plant native to somewhere in the lower 48 contiguous states, not just Oklahoma.

Bayberry, northern (*Myrica pensylvanica*)
 Beautyberry (*Callicarpa americana*)
 Bladdernut, American (*Staphylea trifolia*)
 Blueberry, highbush (*Vaccinium corymbosum*)
 Bush-Honeysuckle, Southern (*Diervilla sessilifolia*)

Buttonbush (*Cephalanthus occidentalis*)
 Carolina Allspice or Sweetshrub (*Calycanthus floridus*)
 Chokeberries, Red and black (*Aronia arbutifolia* and *A. melanocarpa*, respectively)
 Currant, Clove (*Ribes odoratum*)
 Devil's walkingstick (*Aralia spinosa*)
 Fothergilla, Dwarf (*Fothergilla gardenii*)
 Fothergilla, large (*Fothergilla major*)
 Grapeholly (*Mahonia* spp.)
 Holly, American (*Ilex opaca*)
 Holly, common winterberry (*Ilex verticillata*)
 Holly, Deciduous or possumhaw (*Ilex decidua*)
 Holly, inkberry (*Ilex glabra*)
 Hydrangea, smooth (*Hydrangea arborescens*)
 Hydrangea, Oakleaf (*Hydrangea quercifolia*)
 Juniper (*Juniperus* spp.)
 Ninebark, purple, Diablo™ (*Physocarpus opulifolius* 'Monlo')
 Palmetto (*Sabal minor*)
 Rhododendron and azalea (*Rhododendron* spp. & cultivars)
 Summersweet or sweet pepperbush (*Clethra alnifolia*)
 Sweetspire, Virginia (*Itea virginica*)
 Viburnum, American cranberrybush (*Viburnum trilobum*)
 Viburnum, arrowwood (*Viburnum dentatum*)

Evergreen Shrubs



Aucuba – Gold Dust Plant



Green Mountain Boxwood



Pencil Yaupon Holly



Falsecypress



Yew