



Fish Kills

EXTENSION

December 2021

The Oklahoma Cooperative Extension Service WE ARE OKLAHOMA

The Cooperative Extension Service is the largest, most successful informal educational organization in the world. It is a nationwide system funded and guided by a partnership of federal, state, and local governments that delivers information to help people help themselves through the land-grant university system.

Extension carries out programs in the broad categories of agriculture, natural resources and environment; family and consumer sciences; 4-H and other youth; and community resource development. Extension staff members live and work among the people they serve to help stimulate and educate Americans to plan ahead and cope with their problems.

Some characteristics of the Cooperative Extension system are:

- The federal, state, and local governments cooperatively share in its financial support and program direction.
- It is administered by the land-grant university as designated by the state legislature through an Extension director.
- Extension programs are nonpolitical, objective, and research-based information.
- It provides practical, problem-oriented education

for people of all ages. It is designated to take the knowledge of the university to those persons who do not or cannot participate in the formal classroom instruction of the university.

- It utilizes research from university, government, and other sources to help people make their own decisions.
- More than a million volunteers help multiply the impact of the Extension professional staff.
- It dispenses no funds to the public.
- It is not a regulatory agency, but it does inform people of regulations and of their options in meeting them.
- Local programs are developed and carried out in full recognition of national problems and goals.
- The Extension staff educates people through personal contacts, meetings, demonstrations, and the mass media.
- Extension has the built-in flexibility to adjust its programs and subject matter to meet new needs. Activities shift from year to year as citizen groups and Extension workers close to the problems advise changes.

Marley Beem

Extension Specialist for Aquaculture

Few things are as upsetting to a pond owner as discovering large numbers of dead or dying fish. In addition to the loss of fish, there are often worries about the safety of the pond water for livestock, human uses or other purposes.

Water tests available through OSU's Soil Water and Forage Analytical Laboratory (SWAFL) are not recommended for routine investigation of a fish kill. The leading cause of fish kills is lack of dissolved oxygen. Because samples change rapidly it is impractical to test for it in the lab.

Why ponds run out of oxygen

Ponds normally produce dissolved oxygen in excess of the amount needed by fish. It is produced through photosynthesis by microscopic algae in the water column ("green water") or by submerged aquatic plants. But oxygen is never abundant and always vulnerable to being used up, especially when a large amount of organic matter is decomposed by oxygen-consuming bacteria. This can happen when algae in the water column suddenly die or the pond mixes top to bottom, also known as a pond turn-over.

Measuring dissolved oxygen levels

If fish kills are encountered on a somewhat regular basis, consider obtaining a simple means of determining oxygen levels, such as a chemical test kit. One example is the CHEMetrics Dissolved Oxygen test kit, Model K-7510 (Figure 1). Store your test kit at cool or room temperature and it should last indefinitely. If you do a test within a day or two after the kill, you will have a good indication of whether or not low oxygen levels were the cause. Very early morning testing is recommended. There is no hard and fast lethal lower limit for dissolved oxygen - It varies by fish species and lifestage. Generally speaking, dissolved oxygen levels below 3 ppm for prolonged periods are stressful and relatively short exposures to levels below 1 ppm are often lethal.

Without having a way to measure oxygen levels, the following steps will allow you to assess the likely cause of the kill and be able to determine the best way forward:

Step 1. Determine if fish have died in less than one day or are dying over a period of multiple days or weeks. Sudden die-offs indicate that either low dissolved oxygen or something toxic is responsible.

Step 2. Look for other signs that help indicate the cause of the fish kill:

- Is there runoff into the pond bringing chemical fertilizers or animal wastes? Is there a black smelly layer of organic matter on the pond bottom? These things contribute nutrients to the pond fueling excess growth of algae or other plants, often leading to depletion of oxygen.

Oklahoma Cooperative Extension Fact Sheets are also available on our website at: extension.okstate.edu




Figure 1. A relatively inexpensive chemical test kit for dissolved oxygen concentration. The ampule neck is snapped, and water is drawn up into it. A simple color comparison indicates the concentration of oxygen.

- Has the color of the water changed from green to brown or green to clear or is there a scum on the surface? These changes may indicate a die-off of microscopic algae (phytoplankton). Such die-offs result in dropping dissolved oxygen levels as the dead plant matter decomposes.
- Has a cold front with strong winds occurred? Deeper than average ponds are vulnerable to turnovers, especially in the fall. The warmer top water layer contains all of the pond's oxygen and it is used up as it mixes with organic matter from the cold bottom layer of water.
- Are fish seen gulping air at the surface, especially in the early morning? While not always seen, this is a strong indication of low dissolved oxygen levels.
- Are turtles, snakes, frogs or other air breathing animals also dead? Do some fish exhibit tremors or extended pectoral fins? These are signs that a toxic substance may be responsible. Unfortunately, SWAFL is not equipped to test for toxic substances. The [ODEQ hotline](#) might be contacted if these and other signs of chemical pollution are present.

Oklahoma State University, as an equal opportunity employer, complies with all applicable federal and state laws regarding non-discrimination and affirmative action. Oklahoma State University is committed to a policy of equal opportunity for all individuals and does not discriminate based on race, religion, age, sex, color, national origin, marital status, sexual orientation, gender identity/ expression, disability, or veteran status with regard to employment, educational programs and activities, and/or admissions. For more information, visit <https://eeo.okstate.edu>.

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Director of Oklahoma Cooperative Extension Service, Oklahoma State University, Stillwater, Oklahoma. This publication is printed and issued by Oklahoma State University as authorized by the Vice President for Agricultural Programs and has been prepared and distributed at a cost of 40 cents per copy. 12/2021 HE.

Other kinds of fish kills

Fish also die for other, infrequent reasons. These include:

- Diseases and parasites - These typically kill fish in recreational fishing ponds slowly, in limited numbers. These kills typically affect only one species of fish while the others may remain healthy. Signs include swollen abdomens, bulging eyes, sores, and other abnormal appearances.
- Spawning stress during the spring, especially in catfish. Look for scratches on the skin indicative of fighting.
- Lightning strikes
- Prolonged ice cover that blocks sunlight penetration due to cloudiness of the ice or snow cover. While “winterkill” is common in northern states, it is almost never experienced in Oklahoma and the other southern states.
- Abnormal hardness and alkalinity levels, sometimes referred to as “gypsum water”. In such cases fingerlings die soon after stocking. An Irrigation Water Test done through SWAFL will allow this to be determined. [Water Quality Testing and Fish Health](#)

Should I remove dead fish?

It is not essential to do so. Generally, there is no serious impact to leaving the fish to decay in place or be consumed by wildlife. However, if the smell or appearance is an issue, remove as many as practical and bury them.

Is the water safe?

Laboratory tests cannot determine the safety of water following a fish kill. But you can do an on-site check by holding baitfish or other small, inexpensive fish in a bait bucket in the pond. (Never dump baitfish, pet fish etc into your pond – they can harm the quality of fishing by competing with bass and bluegill for insects and smaller food items.)

Restocking?

Dissolved oxygen levels generally return to normal within a few weeks as the water greens up with a new phytoplankton bloom and will likely be suitable for fish stocking. See the guidance in [Fingerlings for Pond Stocking](#).

If the pond was occupied by stunted or undesirable species, this could be a great opportunity to begin afresh. Drain and dry the pond completely until the bottom soil cracks to ensure that no bullheads, common carp, or other hardy, undesirable species survive. If you are thinking about getting free fingerlings from the Oklahoma Department of Wildlife Conservation, contact your local Game Warden or ODWC field office for an application and to see what they require as proof of complete fish elimination. Establishing and managing a pond fishery is outlined in [Improve Fishing in Your Pond](#).